



Multi-Split Submittal Data:
 CTXS09GVJU / CTXS12GVJU Wall Mount Indoor Units
 FTXS15DVJU / FTXS18DVJU Wall Mount Indoor Units
 FDXS09DVJU / FDXS12DVJU Slim Duct Indoor Units
 4MXS32GVJU Outdoor Unit

Job Name: _____ Location: _____
 Purchaser: _____
 Engineer: _____
 Submitted To: _____ For: Reference Approval Construction
 Submitted By: _____ Date: _____
 Unit Designation: Schedule #: _____ Model No.: _____



Capacities & Efficiencies:

System	Combined with	Nominal Cooling Capacity	EER	SEER	Nominal Heating Capacity	COP	Low Heating Capacity	COP	HSPF
		Btu/hr	95F		Btu/hr	47F	Btu/hr	17F	
4MXS32GVJU	Non Ducted Indoor Unit	30,600	10.3	17.6	32,000	3.40	22,200	2.30	9.30
	Ducted Indoor Unit	29,000	8.4	13.3	30,400	3.00	21,000	2.10	7.9
	Mixed Ducted and Non Ducted Indoor Unit	29,800	9.35	15.25	31,200	3.20	21,600	2.20	8.6

R-410A



CTXS09GVJU Indoor Unit:

Power Supply (V/Ph/Hz) from 4MXS	208-230/1/60
Cooling Airflow Rate (H/M/L)	388/335/283 cfm
Heating Airflow Rate (H/M/L)	400/357/314 cfm
Running Current (Rated) Cool / Heat	0.18 Amps / 0.20 Amps
Weight	20 lbs
Sound Pressure Level at 3.3ft (H/M/L)	44/40/35 dB(A)

CTXS12GVJU Indoor Unit:

Power Supply (V/Ph/Hz) from 4MXS	208-230/1/60
Cooling Airflow Rate (H/M/L)	388/335/283 cfm
Heating Airflow Rate (H/M/L)	400/357/314 cfm
Running Current (Rated) Cool / Heat	0.18 Amps / 0.20 Amps
Weight	20 lbs
Sound Pressure Level at 3.3ft (H/M/L)	45/41/36 dB(A)

FTXS15DVJU Indoor Unit:

Power Supply (V/Ph/Hz) from 4MXS	208-230/1/60
Cooling Airflow Rate (H/M/L)	519/436/353 cfm
Heating Airflow Rate (H/M/L)	515/476/402 cfm
Running Current (Rated)	0.18 Amps
Weight	26.5 lbs
Sound Pressure Level at 3.3ft (H/M/L)	45/31/36 dB(A)

FTXS18DVJU Indoor Unit:

Power Supply (V/Ph/Hz) from 4MXS	208-230/1/60
Cooling Airflow Rate (H/M/L)	549/476/402 cfm
Heating Airflow Rate (H/M/L)	609/529/448 cfm
Running Current (Rated) Cool / Heat	0.18 Amps
Weight	26.5 lbs
Sound Pressure Level at 3.3ft (H/M/L)	45/41/36 dB(A)

FDXS09DVJU Indoor Unit:

Power Supply (V/PH/Hz) from 4MXS	208-230/1/60
Cooling Airflow Rate (H/M/L)	305/280/260 cfm
Heating Airflow Rate (H/M/L)	305/280/260 cfm
Running Current (Rated)	0.52 Amps
Weight	47 lbs
Sound Pressure Level at 3.3 ft (H/M/L)	35/33/31 dB(A)

FDXS12DVJU Indoor Unit:

Power Supply (V/PH/Hz) from 4MXS	208-230/1/60
Cooling Airflow Rate (H/M/L)	305/280/260 cfm
Heating Airflow Rate (H/M/L)	305/280/260 cfm
Running Current (Rated)	0.52 Amps
Weight	47 lbs
Sound Pressure Level at 3.3 ft (H/M/L)	35/33/31 dB(A)

4MXS32GVJU Outdoor Unit:

Power Supply (V/PH/Hz)	208-230/1/60
Cooling Operating Range	14°F – 115°F DB
Heating Operating Range	5°F WB - 59.9°F WB 5°F DB - 72°F DB
Minimum Circuit Amps (MCA)	18 Amps
Maximum Fuse Amps (MFA)	20 Amps
Maximum Starting Current	13.8 Amps
Running Current (Cooling/Heating)	See Combination Data
Weight	168 lbs
Sound Pressure Level at 3.3 ft (Heating)	54 dB(A)

System Piping:

Maximum Height Difference	49.2 ft
Maximum Length (Per Unit)	230 ft (82 ft)
Minimum Piping Length	9.8 ft
Liquid Piping Connection (OD)	φ1/4" x4
Gas Piping Connection (OD)	φ3/8" x1, φ1/2" x1, φ5/8" x2
Condensate Drain Piping Connection (OD)	φ1"

Standard Features:

U.S. Compressor Limited Warranty	7 years
U.S. Parts Limited Warranty	5 years
U.S. Limited Labor Warranty	1 year
Wireless Remote Control	Standard

Options: Air Purifying Filter with Photo-catalytic Deodorizing
 Centralized Control/Unified On-Off/Scheduled Timer

Daikin AC (Americas), Inc. ♦ 1645 Wallace Drive – Suite 110 ♦ Carrollton, TX 75006

SDS 4MXS32GVJU with CTXS09/12G, FDXS09/12D & FTXS15/18D 5-08

www.daikinac.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Certified System Performance Data:

2 Units Connected - Cooling Mode

Combination of Indoor Units	Type of indoor unit				Capacity of each indoor unit										
					Each capacity (kBTU/h)				Total capacity (kBTU/h)		Total input (W)		Current (A)	Power factor (%)	
	A room	B room	C room	D room	A room	B room	C room	D room	Rating	(min ~ max)	Rating	(min ~ max)	Rating	Rating	
09+12	Wall	Wall	---	---	9.50	13.30	---	---	22.80	8.40 ~ 22.80	2160	650 ~ 2160	9.6	98	
09+15	Wall	Wall	---	---	8.67	17.33	---	---	26.00	9.90 ~ 26.00	2700	710 ~ 2700	12.0	98	
09+15	Duct	Wall	---	---	8.17	16.33	---	---	24.50	9.40 ~ 24.50	2600	750 ~ 2600	11.5	98	
09+18	Wall	Wall	---	---	7.97	19.13	---	---	27.10	9.90 ~ 27.10	3020	710 ~ 3020	13.4	98	
09+18	Duct	Wall	---	---	7.85	18.85	---	---	26.70	9.50 ~ 26.70	3290	750 ~ 3290	14.6	98	
12+12	Wall	Wall	---	---	13.05	13.05	---	---	26.10	8.90 ~ 26.10	3040	670 ~ 3040	13.5	98	
12+12	Duct	Wall	---	---	12.30	12.30	---	---	24.60	8.50 ~ 24.60	2990	710 ~ 2990	13.3	98	
12+12	Duct	Duct	---	---	11.50	11.50	---	---	23.00	8.00 ~ 23.00	2870	750 ~ 2870	12.7	98	
12+15	Wall	Wall	---	---	11.20	16.00	---	---	27.20	9.90 ~ 27.20	3080	710 ~ 3080	13.7	98	
12+15	Duct	Wall	---	---	10.87	15.53	---	---	26.40	9.40 ~ 26.40	3220	750 ~ 3220	14.3	98	
12+18	Wall	Wall	---	---	10.43	17.87	---	---	28.30	12.90 ~ 28.30	3550	900 ~ 3550	15.7	98	
12+18	Duct	Wall	---	---	10.09	17.31	---	---	27.40	12.40 ~ 27.40	3630	940 ~ 3630	16.1	98	
15+15	Wall	Wall	---	---	14.20	14.20	---	---	28.40	13.40 ~ 28.40	3180	910 ~ 3180	14.1	98	
15+18	Wall	Wall	---	---	13.36	16.04	---	---	29.40	13.50 ~ 29.40	3660	910 ~ 3660	16.2	98	
18+18	Wall	Wall	---	---	14.70	14.70	---	---	29.40	13.50 ~ 29.40	3600	910 ~ 3600	16.0	98	

2 Units Connected - Heating Mode

Combination of Indoor Units	Type of indoor unit				Capacity of each indoor unit										
					Each capacity (kBTU/h)				Total capacity (kBTU/h)		Total input (W)		Current (A)	Power factor (%)	
	A room	B room	C room	D room	A room	B room	C room	D room	Rating	(min ~ max)	Rating	(min ~ max)	Rating	Rating	
09+12	Wall	Wall	---	---	10.96	15.34	---	---	26.30	4.90 ~ 28.40	2690	630 ~ 3150	11.9	98	
09+15	Wall	Wall	---	---	10.00	20.00	---	---	30.00	7.20 ~ 32.30	3090	710 ~ 3620	13.7	98	
09+15	Duct	Wall	---	---	9.77	19.53	---	---	29.30	7.20 ~ 31.30	3160	780 ~ 3640	14.0	98	
09+18	Wall	Wall	---	---	8.97	21.53	---	---	30.50	7.10 ~ 32.60	3100	700 ~ 3620	13.8	98	
09+18	Duct	Wall	---	---	8.76	21.04	---	---	29.80	7.20 ~ 31.70	3170	770 ~ 3640	14.1	98	
12+12	Wall	Wall	---	---	15.00	15.00	---	---	30.00	6.10 ~ 30.50	3510	700 ~ 3630	15.6	98	
12+12	Duct	Wall	---	---	14.15	14.15	---	---	28.30	6.20 ~ 28.30	3350	770 ~ 3350	14.9	98	
12+12	Duct	Duct	---	---	13.20	13.20	---	---	26.40	6.30 ~ 26.40	3200	850 ~ 3200	14.2	98	
12+15	Wall	Wall	---	---	12.56	17.94	---	---	30.50	7.20 ~ 32.30	3210	710 ~ 3620	14.2	98	
12+15	Duct	Wall	---	---	12.27	17.53	---	---	29.80	7.20 ~ 31.30	3280	780 ~ 3640	14.6	98	
12+18	Wall	Wall	---	---	11.42	19.58	---	---	31.00	10.00 ~ 32.60	3210	860 ~ 3620	14.2	98	
12+18	Duct	Wall	---	---	11.16	19.14	---	---	30.30	10.10 ~ 31.70	3280	940 ~ 3640	14.6	98	
15+15	Wall	Wall	---	---	15.50	15.50	---	---	31.00	9.90 ~ 33.50	2970	810 ~ 3530	13.2	98	
15+18	Wall	Wall	---	---	14.32	17.18	---	---	31.50	12.10 ~ 33.70	2990	930 ~ 3490	13.3	98	
18+18	Wall	Wall	---	---	16.05	16.05	---	---	32.10	12.10 ~ 33.80	3060	920 ~ 3450	13.6	98	

Note: 1. The data listed is based on the following conditions: -

Condition	Cooling	Heating	Piping Length
Indoor	80°FDB/67°F	70°FDB/60°FWB	25ft
Outdoor	95°FDB/75°FWB	47°FDB/43°FWB	



Certified System Performance Data:

3 Units Connected - Cooling Mode

Combination of Indoor Units	Type of indoor unit				Capacity of each indoor unit										
					Each capacity (kBTU/h)				Total capacity (kBTU/h)		Total input (W)		Current (A)	Power factor (%)	
	A room	B room	C room	D room	A room	B room	C room	D room	Rating	(min ~ max)	Rating	(min ~ max)	Rating	Rating	
09+09+09	Wall	Wall	Wall	---	9.10	9.10	9.10	---	27.30	10.70 ~ 27.30	2520	700 ~ 2520	11.2	98	
09+09+09	Wall	Wall	Duct	---	8.87	8.87	8.87	---	26.60	10.40 ~ 26.60	2600	750 ~ 2600	11.5	98	
09+09+09	Wall	Duct	Duct	---	8.80	8.80	8.80	---	26.40	10.00 ~ 26.40	2800	800 ~ 2800	12.4	98	
09+09+09	Duct	Duct	Duct	---	8.57	8.57	8.57	---	25.70	9.60 ~ 25.70	2940	840 ~ 2940	13.0	98	
09+09+12	Wall	Wall	Wall	---	8.35	8.35	11.70	---	28.40	10.70 ~ 28.40	2830	700 ~ 2830	12.6	98	
09+09+12	Wall	Wall	Duct	---	8.21	8.21	11.48	---	27.90	10.40 ~ 27.90	2970	750 ~ 2970	13.2	98	
09+09+12	Wall	Duct	Wall	---	8.21	8.21	11.48	---	27.90	10.40 ~ 27.90	2970	750 ~ 2970	13.2	98	
09+09+12	Wall	Duct	Duct	---	8.09	8.09	11.32	---	27.50	10.00 ~ 27.50	3180	800 ~ 3180	14.1	98	
09+09+12	Duct	Duct	Wall	---	8.09	8.09	11.32	---	27.50	10.00 ~ 27.50	3180	800 ~ 3180	14.1	98	
09+09+12	Duct	Duct	Duct	---	7.91	7.91	11.08	---	26.90	9.60 ~ 26.90	3390	840 ~ 3390	15.0	98	
09+09+15	Wall	Wall	Wall	---	7.35	7.35	14.70	---	29.40	14.50 ~ 29.40	2920	910 ~ 2920	13.0	98	
09+09+15	Wall	Duct	Wall	---	7.25	7.25	14.50	---	29.00	14.10 ~ 29.00	3070	950 ~ 3070	13.6	98	
09+09+15	Duct	Duct	Wall	---	7.13	7.13	14.24	---	28.50	13.60 ~ 28.50	3210	1000 ~ 3210	14.2	98	
09+09+18	Wall	Wall	Wall	---	6.95	6.95	16.70	---	30.60	14.60 ~ 30.60	3450	910 ~ 3450	15.3	98	
09+09+18	Wall	Duct	Wall	---	6.84	6.84	16.42	---	30.10	14.10 ~ 30.10	3540	950 ~ 3540	15.7	98	
09+09+18	Duct	Duct	Wall	---	6.70	6.70	16.10	---	29.50	13.60 ~ 29.50	3620	1000 ~ 3620	16.1	98	
09+12+12	Wall	Wall	Wall	---	7.76	10.87	10.87	---	29.50	14.00 ~ 29.50	3220	910 ~ 3220	14.3	98	
09+12+12	Wall	Wall	Duct	---	7.60	10.65	10.65	---	28.90	11.50 ~ 28.90	3370	820 ~ 3370	15.0	98	
09+12+12	Wall	Duct	Duct	---	7.48	10.46	10.46	---	28.40	11.00 ~ 28.40	3580	860 ~ 3580	15.9	98	
09+12+12	Duct	Wall	Wall	---	7.40	10.65	10.65	---	28.90	11.50 ~ 28.90	3370	820 ~ 3370	15.0	98	
09+12+12	Duct	Wall	Duct	---	7.48	10.46	10.46	---	28.40	11.00 ~ 28.40	3580	860 ~ 3580	15.9	98	
09+12+12	Duct	Duct	Duct	---	7.24	10.13	10.13	---	27.50	10.60 ~ 27.50	3660	900 ~ 3660	16.2	98	
09+12+15	Wall	Wall	Wall	---	6.95	9.74	13.91	---	30.60	14.50 ~ 30.60	3520	910 ~ 3520	15.6	98	
09+12+15	Wall	Duct	Wall	---	6.84	9.58	13.68	---	30.10	14.10 ~ 30.10	3610	950 ~ 3610	16.0	98	
09+12+15	Duct	Wall	Wall	---	6.84	9.58	13.68	---	30.10	14.10 ~ 30.10	3610	950 ~ 3610	16.0	98	
09+12+15	Duct	Duct	Wall	---	6.69	9.35	13.36	---	29.40	13.60 ~ 29.40	3620	1000 ~ 3620	16.1	98	
09+12+18	Wall	Wall	Wall	---	6.42	8.98	15.40	---	30.80	14.60 ~ 30.80	3600	910 ~ 3600	16.0	98	
09+12+18	Wall	Duct	Wall	---	6.29	8.81	15.10	---	30.20	14.10 ~ 30.20	3610	950 ~ 3610	16.0	98	
09+12+18	Duct	Wall	Wall	---	6.29	8.81	15.10	---	30.20	14.10 ~ 30.20	3610	950 ~ 3610	16.0	98	
09+12+18	Duct	Duct	Wall	---	6.15	8.60	14.75	---	29.50	13.60 ~ 29.50	3620	1000 ~ 3620	16.1	98	
09+15+15	Wall	Wall	Wall	---	6.18	12.36	12.36	---	30.90	14.90 ~ 30.90	3340	900 ~ 3340	14.8	98	
09+15+15	Duct	Wall	Wall	---	6.08	12.16	12.16	---	30.40	14.50 ~ 30.40	3430	950 ~ 3430	15.2	98	
09+15+18	Wall	Wall	Wall	---	5.76	11.52	13.82	---	31.10	15.00 ~ 31.10	3480	900 ~ 3480	15.4	98	
09+15+18	Duct	Wall	Wall	---	5.67	11.33	13.60	---	30.60	14.60 ~ 30.60	3500	950 ~ 3500	15.5	98	
09+18+18	Wall	Wall	Wall	---	5.40	12.95	12.95	---	31.30	15.00 ~ 31.30	3560	900 ~ 3560	15.8	98	
09+18+18	Duct	Wall	Wall	---	5.32	12.79	12.79	---	30.90	14.60 ~ 30.90	3640	950 ~ 3640	16.1	98	
12+12+12	Wall	Wall	Wall	---	10.07	10.07	10.07	---	30.20	14.00 ~ 30.20	3630	910 ~ 3630	16.1	98	
12+12+12	Wall	Wall	Duct	---	9.83	9.83	9.83	---	29.50	11.50 ~ 29.50	3640	820 ~ 3640	16.1	98	
12+12+12	Wall	Duct	Duct	---	9.50	9.50	9.50	---	28.50	11.00 ~ 28.50	3650	860 ~ 3650	16.2	98	
12+12+12	Duct	Duct	Duct	---	9.17	9.17	9.17	---	27.50	10.60 ~ 27.50	3660	900 ~ 3660	16.2	98	
12+12+15	Wall	Wall	Wall	---	8.98	8.98	12.84	---	30.80	14.50 ~ 30.80	3660	910 ~ 3660	16.2	98	
12+12+15	Wall	Duct	Wall	---	8.78	8.78	12.54	---	30.10	14.10 ~ 30.10	3610	950 ~ 3610	16.0	98	
12+12+15	Duct	Duct	Wall	---	8.58	8.58	12.24	---	29.40	13.60 ~ 29.40	3620	1000 ~ 3620	16.1	98	
12+12+18	Wall	Wall	Wall	---	8.29	8.29	14.22	---	30.80	14.60 ~ 30.80	3600	910 ~ 3600	16.0	98	
12+12+18	Wall	Duct	Wall	---	8.13	8.13	13.94	---	30.20	14.10 ~ 30.20	3610	950 ~ 3610	16.0	98	
12+12+18	Duct	Duct	Wall	---	7.94	7.94	13.62	---	29.50	13.60 ~ 29.50	3620	1000 ~ 3620	16.1	98	
12+15+15	Wall	Wall	Wall	---	8.06	11.52	11.52	---	31.10	14.90 ~ 31.10	3480	900 ~ 3480	15.4	98	
12+15+15	Duct	Wall	Wall	---	7.94	11.33	11.33	---	30.60	14.50 ~ 30.60	3500	950 ~ 3500	15.5	98	
12+15+18	Wall	Wall	Wall	---	7.53	10.76	12.91	---	31.20	15.00 ~ 31.20	3550	900 ~ 3550	15.7	98	
12+15+18	Duct	Wall	Wall	---	7.44	10.62	12.74	---	30.80	14.60 ~ 30.80	3640	950 ~ 3640	16.1	98	

Note: 1. The data listed is based on the following conditions: -

Condition	Cooling	Heating	Piping Length
Indoor	80°FDB/67°F	70°FDB/60°FWB	25ft
Outdoor	95°FDB/75°FWB	47°FDB/43°FWB	



Certified System Performance Data:

3 Units Connected – Heating Mode

Combination of Indoor Units	Type of indoor unit				Capacity of each indoor unit										
					Each capacity (kBTU/h)				Total capacity (kBTU/h)		Total input (W)		Current (A)	Power factor (%)	
	A room	B room	C room	D room	A room	B room	C room	D room	Rating	(min ~ max)	Rating	(min ~ max)	Rating	Rating	
09+09+09	Wall	Wall	Wall	---	10.17	10.17	10.17	---	30.50	7.00 ~ 33.00	2810	650 ~ 3300	12.5	98	
09+09+09	Wall	Wall	Duct	---	10.00	10.00	10.00	---	30.00	7.00 ~ 32.50	2850	720 ~ 3400	12.6	98	
09+09+09	Wall	Duct	Duct	---	9.83	9.83	9.83	---	29.50	7.10 ~ 31.90	2950	790 ~ 3510	13.1	98	
09+09+09	Duct	Duct	Duct	---	9.67	9.67	9.67	---	29.00	7.20 ~ 31.40	3070	860 ~ 3650	13.6	98	
09+09+12	Wall	Wall	Wall	---	9.12	9.12	12.76	---	31.00	7.00 ~ 33.50	2860	650 ~ 3410	12.7	98	
09+09+12	Wall	Wall	Duct	---	8.97	8.97	12.56	---	30.50	7.00 ~ 32.90	2960	720 ~ 3510	13.1	98	
09+09+12	Wall	Duct	Wall	---	8.97	8.97	12.56	---	30.50	7.00 ~ 32.90	2960	720 ~ 3510	13.1	98	
09+09+12	Wall	Duct	Duct	---	8.82	8.82	12.36	---	30.00	7.10 ~ 32.40	3060	790 ~ 3630	13.6	98	
09+09+12	Duct	Duct	Wall	---	8.82	8.82	12.36	---	30.00	7.10 ~ 32.40	3060	790 ~ 3630	13.6	98	
09+09+12	Duct	Duct	Duct	---	8.68	8.68	12.14	---	29.50	7.20 ~ 31.50	3180	860 ~ 3650	14.1	98	
09+09+15	Wall	Wall	Wall	---	7.88	7.88	15.74	---	31.50	9.80 ~ 34.00	2760	760 ~ 3290	12.2	98	
09+09+15	Wall	Duct	Wall	---	7.75	7.75	15.50	---	31.00	9.80 ~ 33.40	2830	820 ~ 3300	12.6	98	
09+09+15	Duct	Duct	Wall	---	7.63	7.63	15.24	---	30.50	9.90 ~ 32.90	2910	890 ~ 3390	12.9	98	
09+09+18	Wall	Wall	Wall	---	7.30	7.30	17.50	---	32.10	12.00 ~ 34.20	2840	870 ~ 3270	12.6	98	
09+09+18	Wall	Duct	Wall	---	7.16	7.16	17.18	---	31.50	12.00 ~ 33.90	2850	930 ~ 3380	12.6	98	
09+09+18	Duct	Duct	Wall	---	7.05	7.05	16.90	---	31.00	12.10 ~ 33.40	2920	1000 ~ 3470	13.0	98	
09+12+12	Wall	Wall	Wall	---	8.28	11.61	11.61	---	31.50	9.90 ~ 33.70	2970	800 ~ 3460	13.2	98	
09+12+12	Wall	Wall	Duct	---	8.16	11.42	11.42	---	31.00	9.90 ~ 33.40	3060	870 ~ 3630	13.6	98	
09+12+12	Wall	Duct	Duct	---	8.02	11.24	11.24	---	30.50	10.00 ~ 32.50	3170	950 ~ 3630	14.1	98	
09+12+12	Duct	Wall	Wall	---	8.16	11.42	11.42	---	31.00	9.90 ~ 33.40	3060	870 ~ 3630	13.6	98	
09+12+12	Duct	Wall	Duct	---	8.02	11.24	11.24	---	30.50	10.00 ~ 32.50	3170	950 ~ 3630	14.1	98	
09+12+12	Duct	Duct	Duct	---	7.90	11.05	11.05	---	30.00	10.10 ~ 31.50	3300	1030 ~ 3650	14.6	98	
09+12+15	Wall	Wall	Wall	---	7.30	10.21	14.59	---	32.10	12.00 ~ 34.20	2870	880 ~ 3290	12.7	98	
09+12+15	Wall	Duct	Wall	---	7.16	10.02	14.32	---	31.50	12.10 ~ 33.90	2930	940 ~ 3420	13.0	98	
09+12+15	Duct	Wall	Wall	---	7.16	10.02	14.32	---	31.50	12.10 ~ 33.90	2930	940 ~ 3420	13.0	98	
09+12+15	Duct	Duct	Wall	---	7.05	9.86	14.09	---	31.00	12.10 ~ 33.40	2960	1020 ~ 3500	13.1	98	
09+12+18	Wall	Wall	Wall	---	6.79	9.51	16.30	---	32.60	12.00 ~ 34.20	2950	870 ~ 3270	13.1	98	
09+12+18	Wall	Duct	Wall	---	6.67	9.33	16.00	---	32.00	12.00 ~ 33.90	2950	930 ~ 3380	13.1	98	
09+12+18	Duct	Wall	Wall	---	6.67	9.33	16.00	---	32.00	12.00 ~ 33.90	2950	930 ~ 3380	13.1	98	
09+12+18	Duct	Duct	Wall	---	6.56	9.19	15.75	---	31.50	12.10 ~ 33.40	3030	1000 ~ 3470	13.4	98	
09+15+15	Wall	Wall	Wall	---	6.52	13.04	13.04	---	32.60	11.90 ~ 34.50	2830	850 ~ 3190	12.6	98	
09+15+15	Duct	Wall	Wall	---	6.40	12.80	12.80	---	32.00	11.90 ~ 33.90	2810	900 ~ 3230	12.5	98	
09+15+18	Wall	Wall	Wall	---	6.13	12.26	14.71	---	33.10	11.90 ~ 34.50	2920	850 ~ 3180	13.0	98	
09+15+18	Duct	Wall	Wall	---	6.02	12.04	14.44	---	32.50	11.90 ~ 34.00	2890	900 ~ 3210	12.8	98	
09+18+18	Wall	Wall	Wall	---	5.80	13.90	13.90	---	33.60	11.80 ~ 34.50	3020	840 ~ 3180	13.4	98	
09+18+18	Duct	Wall	Wall	---	5.68	13.66	13.66	---	33.00	11.90 ~ 34.00	2980	900 ~ 3190	13.2	98	
12+12+12	Wall	Wall	Wall	---	10.70	10.70	10.70	---	32.10	9.90 ~ 33.70	3080	800 ~ 3460	13.7	98	
12+12+12	Wall	Wall	Duct	---	10.50	10.50	10.50	---	31.50	9.90 ~ 33.40	3170	870 ~ 3630	14.1	98	
12+12+12	Wall	Duct	Duct	---	10.33	10.33	10.33	---	31.00	10.00 ~ 32.50	3280	950 ~ 3630	14.6	98	
12+12+12	Duct	Duct	Duct	---	10.13	10.13	10.13	---	30.40	10.10 ~ 31.50	3410	1030 ~ 3650	15.1	98	
12+12+15	Wall	Wall	Wall	---	9.51	9.51	13.58	---	32.60	12.00 ~ 34.20	2970	880 ~ 3290	13.2	98	
12+12+15	Wall	Duct	Wall	---	9.33	9.33	13.34	---	32.00	12.10 ~ 33.90	2980	940 ~ 3420	13.2	98	
12+12+15	Duct	Duct	Wall	---	9.19	9.19	13.12	---	31.50	12.10 ~ 33.40	3060	1020 ~ 3500	13.6	98	
12+12+18	Wall	Wall	Wall	---	8.91	8.91	15.28	---	33.10	12.00 ~ 34.20	3050	870 ~ 3270	13.5	98	
12+12+18	Wall	Duct	Wall	---	8.75	8.75	15.00	---	32.50	12.00 ~ 34.00	3060	930 ~ 3380	13.6	98	
12+12+18	Duct	Duct	Wall	---	8.62	8.62	14.76	---	32.00	12.10 ~ 33.50	3140	1000 ~ 3470	13.9	98	
12+15+15	Wall	Wall	Wall	---	8.58	12.26	12.26	---	33.10	11.90 ~ 34.50	2930	850 ~ 3190	13.0	98	
12+15+15	Duct	Wall	Wall	---	8.42	12.04	12.04	---	32.50	11.90 ~ 34.00	2910	900 ~ 3230	12.9	98	
12+15+18	Wall	Wall	Wall	---	8.11	11.59	13.90	---	33.60	11.90 ~ 34.50	3020	850 ~ 3180	13.4	98	
12+15+18	Duct	Wall	Wall	---	7.96	11.38	13.66	---	33.00	11.90 ~ 34.00	3000	900 ~ 3210	13.3	98	

Note: 1. The data listed is based on the following conditions: -

Condition	Cooling	Heating	Piping Length
Indoor	80°FDB/67°F	70°FDB/60°FWB	25ft
Outdoor	95°FDB/75°FWB	47°FDB/43°FWB	



Certified System Performance Data:

4 Units Connected - Cooling Mode

Combination of Indoor Units	Type of indoor unit				Capacity of each indoor unit									
					Each capacity (kBTU/h)				Total capacity (kBTU/h)		Total input (W)		Current (A)	Power factor (%)
	A room	B room	C room	D room	A room	B room	C room	D room	Rating	(min ~ max)	Rating	(min ~ max)	Rating	Rating
09+09+09+09	Wall	Wall	Wall	Wall	7.68	7.68	7.68	7.68	30.70	15.40 ~ 30.70	2970	890 ~ 2970	13.2	98
09+09+09+09	Wall	Wall	Wall	Duct	7.55	7.55	7.55	7.55	30.20	12.60 ~ 30.20	2990	800 ~ 2990	13.3	98
09+09+09+09	Wall	Wall	Duct	Duct	7.48	7.48	7.48	7.48	29.90	12.30 ~ 29.90	3140	850 ~ 3140	13.9	98
09+09+09+09	Wall	Duct	Duct	Duct	7.40	7.40	7.40	7.40	29.60	12.00 ~ 29.60	3300	900 ~ 3300	14.6	98
09+09+09+09	Duct	Duct	Duct	Duct	7.28	7.28	7.28	7.28	29.10	11.60 ~ 29.10	3450	950 ~ 3450	15.3	98
09+09+09+12	Wall	Wall	Wall	Wall	7.05	7.05	7.05	9.85	31.00	15.40 ~ 31.00	3100	890 ~ 3100	13.8	98
09+09+09+12	Wall	Wall	Wall	Duct	6.93	6.93	6.93	9.71	30.50	15.10 ~ 30.50	3120	950 ~ 3120	13.8	98
09+09+09+12	Wall	Wall	Duct	Duct	6.84	6.84	6.84	9.58	30.10	14.70 ~ 30.10	3210	1000 ~ 3210	14.2	98
09+09+09+12	Wall	Duct	Duct	Wall	6.84	6.84	6.84	9.58	30.10	14.70 ~ 30.10	3210	1000 ~ 3210	14.2	98
09+09+09+12	Wall	Duct	Duct	Duct	6.75	6.75	6.75	9.45	29.70	14.20 ~ 29.70	3360	1040 ~ 3360	14.9	98
09+09+09+12	Duct	Duct	Duct	Wall	6.75	6.75	6.75	9.45	29.70	14.20 ~ 29.70	3360	1040 ~ 3360	14.9	98
09+09+09+12	Duct	Duct	Duct	Duct	6.68	6.68	6.68	9.36	29.40	13.70 ~ 29.40	3580	1090 ~ 3580	15.9	98
09+09+09+15	Wall	Wall	Wall	Wall	6.22	6.22	6.22	12.44	31.10	15.80 ~ 31.10	2980	880 ~ 2980	13.2	98
09+09+09+15	Wall	Wall	Duct	Wall	6.14	6.14	6.14	12.28	30.70	15.40 ~ 30.70	3010	940 ~ 3010	13.4	98
09+09+09+15	Wall	Duct	Duct	Wall	6.06	6.06	6.06	12.12	30.30	15.10 ~ 30.30	3100	990 ~ 3100	13.8	98
09+09+09+15	Duct	Duct	Duct	Duct	5.98	5.98	5.98	11.96	29.90	14.70 ~ 29.90	3190	1040 ~ 3190	14.2	98
09+09+09+18	Wall	Wall	Wall	Wall	5.81	5.81	5.81	13.97	31.40	15.80 ~ 31.40	3120	880 ~ 3120	13.8	98
09+09+09+18	Wall	Wall	Duct	Wall	5.74	5.74	5.74	13.78	31.00	15.50 ~ 31.00	3140	940 ~ 3140	13.9	98
09+09+09+18	Wall	Duct	Duct	Wall	5.67	5.67	5.67	13.59	30.60	15.10 ~ 30.60	3170	990 ~ 3170	14.1	98
09+09+09+18	Duct	Duct	Duct	Wall	5.59	5.59	5.59	13.43	30.20	14.70 ~ 30.20	3260	1040 ~ 3260	14.5	98
09+09+12+12	Wall	Wall	Wall	Wall	6.48	6.48	9.07	9.07	31.10	15.40 ~ 31.10	3160	890 ~ 3160	14.0	98
09+09+12+12	Wall	Wall	Wall	Duct	6.42	6.42	8.98	8.98	30.80	15.10 ~ 30.80	3260	950 ~ 3260	14.5	98
09+09+12+12	Wall	Wall	Duct	Duct	6.33	6.33	8.87	8.87	30.40	14.70 ~ 30.40	3340	1000 ~ 3340	14.8	98
09+09+12+12	Wall	Duct	Wall	Wall	6.42	6.42	8.98	8.98	30.80	15.10 ~ 30.80	3260	950 ~ 3260	14.5	98
09+09+12+12	Wall	Duct	Wall	Duct	6.33	6.33	8.87	8.87	30.40	14.70 ~ 30.40	3340	1000 ~ 3340	14.8	98
09+09+12+12	Wall	Duct	Duct	Duct	6.23	6.23	8.72	8.72	29.90	14.20 ~ 29.90	3430	1040 ~ 3430	15.2	98
09+09+12+12	Duct	Duct	Wall	Wall	6.33	6.33	8.87	8.87	30.40	14.70 ~ 30.40	3340	1000 ~ 3340	14.8	98
09+09+12+12	Duct	Duct	Wall	Duct	6.23	6.23	8.72	8.72	29.90	14.20 ~ 29.90	3430	1040 ~ 3430	15.2	98
09+09+12+12	Duct	Duct	Duct	Duct	6.15	6.15	8.60	8.60	29.50	13.70 ~ 29.50	3650	1090 ~ 3650	16.2	98
09+09+12+15	Wall	Wall	Wall	Wall	5.81	5.81	8.15	11.63	31.40	15.80 ~ 31.40	3180	880 ~ 3180	14.1	98
09+09+12+15	Wall	Wall	Duct	Wall	5.74	5.74	8.04	11.48	31.00	15.40 ~ 31.00	3140	940 ~ 3140	13.9	98
09+09+12+15	Wall	Duct	Wall	Wall	5.74	5.74	8.04	11.48	31.00	15.40 ~ 31.00	3140	940 ~ 3140	13.9	98
09+09+12+15	Wall	Duct	Duct	Wall	5.67	5.67	7.93	11.33	30.60	15.10 ~ 30.60	3230	990 ~ 3230	14.3	98
09+09+12+15	Duct	Duct	Wall	Wall	5.67	5.67	7.93	11.33	30.60	15.10 ~ 30.60	3230	990 ~ 3230	14.3	98
09+09+12+15	Duct	Duct	Duct	Wall	5.59	5.59	7.83	11.19	30.20	14.70 ~ 30.20	3320	1040 ~ 3320	14.7	98
09+12+12+12	Wall	Wall	Wall	Wall	6.05	8.45	8.45	8.45	31.40	15.40 ~ 31.40	3370	890 ~ 3370	15.0	98
09+12+12+12	Wall	Wall	Wall	Duct	5.95	8.35	8.35	8.35	31.00	15.10 ~ 31.00	3390	950 ~ 3390	15.0	98
09+12+12+12	Wall	Wall	Duct	Duct	5.88	8.24	8.24	8.24	30.60	14.70 ~ 30.60	3480	1000 ~ 3480	15.4	98
09+12+12+12	Wall	Duct	Duct	Duct	5.81	8.13	8.13	8.13	30.20	14.20 ~ 30.20	3640	1040 ~ 3640	16.1	98
09+12+12+12	Duct	Wall	Wall	Wall	5.95	8.35	8.35	8.35	31.00	15.10 ~ 31.00	3390	950 ~ 3390	15.0	98
09+12+12+12	Duct	Wall	Wall	Duct	5.88	8.24	8.24	8.24	30.60	14.70 ~ 30.60	3480	1000 ~ 3480	15.4	98
09+12+12+12	Duct	Wall	Duct	Duct	5.81	8.13	8.13	8.13	30.20	14.20 ~ 30.20	3640	1040 ~ 3640	16.1	98
09+12+12+12	Duct	Duct	Duct	Duct	5.68	7.94	7.94	7.94	29.50	13.70 ~ 29.50	3650	1090 ~ 3650	16.2	98

Note: 1. The data listed is based on the following conditions: -

Condition	Cooling	Heating	Piping Length
Indoor	80°FDB/67°F	70°FDB/60°FWB	25ft
Outdoor	95°FDB/75°FWB	47°FDB/43°FWB	





Multi-Split Submittal Data:
 CTXS09GVJU / CTXS12GVJU Wall Mount Indoor Units
 FTXS15DVJU / FTXS18DVJU Wall Mount Indoor Units
 FDXS09DVJU / FDXS12DVJU Slim Duct Indoor Units
 4MXS32GVJU Outdoor Unit

Certified System Performance Data:

4 Units Connected – Heating Mode

Combination of Indoor Units	Type of indoor unit				Capacity of each indoor unit										
					Each capacity (kBTU/h)				Total capacity (kBTU/h)		Total input (W)		Current (A)	Power factor (%)	
	A room	B room	C room	D room	A room	B room	C room	D room	Rating	(min ~ max)	Rating	(min ~ max)	Rating	Rating	
09+09+09+09	Wall	Wall	Wall	Wall	8.03	8.03	8.03	8.03	32.10	9.60 ~ 34.50	2710	730 ~ 3180	12.0	98	
09+09+09+09	Wall	Wall	Wall	Duct	7.93	7.93	7.93	7.93	31.70	9.70 ~ 34.10	2740	790 ~ 3200	12.2	98	
09+09+09+09	Wall	Wall	Duct	Duct	7.83	7.83	7.83	7.83	31.30	9.70 ~ 33.70	2780	840 ~ 3240	12.3	98	
09+09+09+09	Wall	Wall	Duct	Duct	7.70	7.70	7.70	7.70	30.80	9.80 ~ 33.20	2830	900 ~ 3300	12.6	98	
09+09+09+09	Duct	Duct	Duct	Duct	7.60	7.60	7.60	7.60	30.40	9.90 ~ 32.80	2900	970 ~ 3380	12.9	98	
09+09+09+12	Wall	Wall	Wall	Wall	7.41	7.41	7.41	10.37	32.60	11.90 ~ 34.50	2810	840 ~ 3180	12.5	98	
09+09+09+12	Wall	Wall	Wall	Duct	7.32	7.32	7.32	10.24	32.20	11.90 ~ 34.10	2840	900 ~ 3200	12.6	98	
09+09+09+12	Wall	Wall	Duct	Duct	7.32	7.32	7.32	10.24	32.20	11.90 ~ 34.10	2840	900 ~ 3200	12.6	98	
09+09+09+12	Wall	Wall	Duct	Duct	7.23	7.23	7.23	10.11	31.80	12.00 ~ 33.70	2880	960 ~ 3240	12.8	98	
09+09+09+12	Wall	Duct	Duct	Wall	7.23	7.23	7.23	10.11	31.80	12.00 ~ 33.70	2880	960 ~ 3240	12.8	98	
09+09+09+12	Wall	Duct	Duct	Duct	7.11	7.11	7.11	9.97	31.30	12.00 ~ 33.20	2930	1020 ~ 3300	13.0	98	
09+09+09+12	Duct	Duct	Duct	Duct	7.11	7.11	7.11	9.97	31.30	12.00 ~ 33.20	2930	1020 ~ 3300	13.0	98	
09+09+09+12	Duct	Duct	Duct	Duct	7.02	7.02	7.02	9.84	30.90	12.10 ~ 32.80	3000	1090 ~ 3380	13.3	98	
09+09+09+15	Wall	Wall	Wall	Wall	6.62	6.62	6.62	13.24	33.10	11.70 ~ 34.60	2910	840 ~ 3180	12.9	98	
09+09+09+15	Wall	Wall	Duct	Wall	6.54	6.54	6.54	13.08	32.70	11.80 ~ 34.20	2850	890 ~ 3160	12.6	98	
09+09+09+15	Wall	Wall	Duct	Duct	6.46	6.46	6.46	12.92	32.30	11.90 ~ 33.80	2860	930 ~ 3110	12.7	98	
09+09+09+15	Duct	Duct	Duct	Wall	6.36	6.36	6.36	12.72	31.80	11.90 ~ 33.30	2880	990 ~ 3130	12.8	98	
09+09+09+18	Wall	Wall	Wall	Wall	6.22	6.22	6.22	14.94	33.60	11.70 ~ 34.60	3030	850 ~ 3190	13.4	98	
09+09+09+18	Wall	Wall	Duct	Wall	6.15	6.15	6.15	14.75	33.20	11.80 ~ 34.20	2950	890 ~ 3160	13.1	98	
09+09+09+18	Wall	Wall	Duct	Duct	6.07	6.07	6.07	14.59	32.80	11.80 ~ 33.80	2950	930 ~ 3110	13.1	98	
09+09+09+18	Duct	Duct	Duct	Wall	5.98	5.98	5.98	14.36	32.30	11.90 ~ 33.30	2920	980 ~ 3120	13.0	98	
09+09+12+12	Wall	Wall	Wall	Wall	6.90	6.90	9.65	9.65	33.10	11.90 ~ 34.50	2920	840 ~ 3180	13.0	98	
09+09+12+12	Wall	Wall	Wall	Duct	6.81	6.81	9.54	9.54	32.70	11.90 ~ 34.20	2940	900 ~ 3200	13.0	98	
09+09+12+12	Wall	Wall	Duct	Duct	6.73	6.73	9.42	9.42	32.30	12.00 ~ 33.80	2980	960 ~ 3240	13.2	98	
09+09+12+12	Wall	Duct	Wall	Wall	6.81	6.81	9.54	9.54	32.70	11.90 ~ 34.20	2940	900 ~ 3200	13.0	98	
09+09+12+12	Wall	Duct	Wall	Duct	6.73	6.73	9.42	9.42	32.30	12.00 ~ 33.80	2980	960 ~ 3240	13.2	98	
09+09+12+12	Wall	Duct	Duct	Duct	6.63	6.63	9.27	9.27	31.80	12.00 ~ 33.30	2980	1020 ~ 3300	13.2	98	
09+09+12+12	Duct	Duct	Wall	Duct	6.63	6.63	9.27	9.27	31.80	12.00 ~ 33.30	2980	1020 ~ 3300	13.2	98	
09+09+12+12	Duct	Duct	Duct	Duct	6.54	6.54	9.16	9.16	31.40	12.10 ~ 32.90	3050	1090 ~ 3380	13.5	98	
09+09+12+15	Wall	Wall	Wall	Wall	6.22	6.22	8.72	12.44	33.60	11.70 ~ 34.60	3020	840 ~ 3180	13.4	98	
09+09+12+15	Wall	Wall	Duct	Wall	6.15	6.15	8.60	12.30	33.20	11.80 ~ 34.20	2950	890 ~ 3160	13.1	98	
09+09+12+15	Wall	Duct	Wall	Wall	6.15	6.15	8.60	12.30	33.20	11.80 ~ 34.20	2950	890 ~ 3160	13.1	98	
09+09+12+15	Wall	Duct	Duct	Wall	6.07	6.07	8.51	12.15	32.80	11.90 ~ 33.80	2960	930 ~ 3110	13.1	98	
09+09+12+15	Duct	Duct	Wall	Wall	6.07	6.07	8.51	12.15	32.80	11.90 ~ 33.80	2960	930 ~ 3110	13.1	98	
09+09+12+15	Duct	Duct	Duct	Wall	5.98	5.98	8.38	11.96	32.30	11.90 ~ 33.30	2930	990 ~ 3130	13.0	98	
09+12+12+12	Wall	Wall	Wall	Wall	6.45	9.05	9.05	9.05	33.60	11.90 ~ 34.50	3020	840 ~ 3180	13.4	98	
09+12+12+12	Wall	Wall	Wall	Duct	6.38	8.94	8.94	8.94	33.20	11.90 ~ 34.20	3040	900 ~ 3200	13.5	98	
09+12+12+12	Wall	Wall	Duct	Duct	6.31	8.83	8.83	8.83	32.80	12.00 ~ 33.80	3030	960 ~ 3240	13.4	98	
09+12+12+12	Wall	Duct	Duct	Duct	6.20	8.70	8.70	8.70	32.30	12.00 ~ 33.30	3090	1020 ~ 3300	13.7	98	
09+12+12+12	Duct	Wall	Wall	Wall	6.38	8.94	8.94	8.94	33.20	11.90 ~ 34.20	3040	900 ~ 3200	13.5	98	
09+12+12+12	Duct	Wall	Wall	Duct	6.31	8.83	8.83	8.83	32.80	12.00 ~ 33.80	3030	960 ~ 3240	13.4	98	
09+12+12+12	Duct	Wall	Duct	Duct	6.20	8.70	8.70	8.70	32.30	12.00 ~ 33.30	3090	1020 ~ 3300	13.7	98	
09+12+12+12	Duct	Duct	Duct	Duct	6.13	8.59	8.59	8.59	31.90	12.10 ~ 32.90	3160	1090 ~ 3380	14.0	98	

Note: 1. The data listed is based on the following conditions: -

Condition	Cooling	Heating	Piping Length
Indoor	80°FDB/67°F	70°FDB/60°FWB	25ft
Outdoor	95°FDB/75°FWB	47°FDB/43°FWB	



Daikin AC (Americas), Inc. ♦ 1645 Wallace Drive – Suite 110 ♦ Carrollton, TX 75006


SDS 4MXS32GVJU with CTXS09/12G, FDXS09/12D & FTXS15/18D 5-08

www.daikinac.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Condensing Unit Dimensions:


4MXS32GVJU



3D01


Indoor Fan Coil Unit Dimensions:

CTXS09/12GVJU – 0.75/1.0-Ton Wall Mount Type Indoor Unit



Indoor Fan Coil Unit Dimensions:

FTXS15/18DVJU – 1.25/1.5-Ton Wall Mount Type Indoor Unit



FDXS09/12DVJU – 0.75/1.0-Ton Slim Duct Built In Type Indoor Unit

